

2

↕

$$\begin{array}{ccccccc} & & & \tilde{E}^{\infty} & & \tilde{E}^{\infty} & \\ & & \tilde{E}^{\infty} & & \tilde{E}^{\infty} & & \\ \text{" } \tilde{E}^{\infty} & \tilde{E}^{\infty} & \gamma & \tilde{E}^{\infty} & \gamma & \text{" } \tilde{E}^{\infty} & \\ \tilde{E}^{\infty} \text{ } \tilde{E}^{\infty} & \gamma & L & & & \gamma & \end{array}$$

١٢٣٤٥٦٧٨٩١٠١١١٢١٣١٤١٥١٦١٧١٨١٩٢٠٢١٢٢٢٣٢٤٢٥٢٦٢٧٢٨٢٩٣٠٣١٣٢٣٣٣٤٣٥٣٦٣٧٣٨٣٩٤٠٤١٤٢٤٣٤٤٤٥٤٦٤٧٤٨٤٩٥٠٥١٥٢٥٣٥٤٥٥٥٦٥٧٥٨٥٩٦٠٦١٦٢٦٣٦٤٦٥٦٦٦٧٦٨٦٩٧٠٧١٧٢٧٣٧٤٧٥٧٦٧٧٧٨٧٩٨٠٨١٨٢٨٣٨٤٨٥٨٦٨٧٨٨٨٩٩٠٩١٩٢٩٣٩٤٩٥٩٦٩٧٩٨٩٩١٠١١١٢١٣١٤١٥١٦١٧١٨١٩٢٠٢١٢٢٢٣٢٤٢٥٢٦٢٧٢٨٢٩٣٠٣١٣٢٣٣٣٤٣٥٣٦٣٧٣٨٣٩٤٠٤١٤٢٤٣٤٤٤٥٤٦٤٧٤٨٤٩٥٠٥١٥٢٥٣٥٤٥٥٥٦٥٧٥٨٥٩٦٠٦١٦٢٦٣٦٤٦٥٦٦٦٧٦٨٦٩٧٠٧١٧٢٧٣٧٤٧٥٧٦٧٧٧٨٧٩٨٠٨١٨٢٨٣٨٤٨٥٨٦٨٧٨٨٨٩٩٠٩١٩٢٩٣٩٤٩٥٩٦٩٧٩٨٩٩

$$\begin{array}{c} \sim \\ \% \\ \vdots \end{array} \quad \begin{array}{c} \text{'E}^{\sim} \text{ G } \underline{2014} \quad \underline{1} \quad \underline{3} \quad \vdots \\ \text{h } \Psi \text{'E} \wedge \ddot{\text{U}} \quad \text{(A)} \quad \underline{2,220} \quad \text{G } \underline{2014} \quad \underline{1} \quad \underline{27} \end{array}$$

'E[~] 'YO M 'E[~]
 'E[~] η Tianjin Pengling Group Co., LTD

[illegible]
$$\tilde{E} \quad Y \quad \frac{755,378,818}{-1} \text{ "H}$$
$$\tilde{\eta} \quad \tilde{E} \quad M \quad \tilde{E}$$
$$H \quad E^{\sim} \quad \eta$$
[illegible]
$$\begin{array}{ccccccc}
\mathbb{M} & & \mathbb{E}^{\sim} & & \mathbb{M} & & \mathbb{E}^{\sim} \\
& \neq & \vdash^{\sim} & \dot{\vdash} & \mathbb{Z} & \mathbb{D} & \mathbb{E}^{\sim} \\
2 \dot{\vdash} & & \mathbb{Z} & \mathbb{D} & \mathbb{U} & & \\
& \xi \dot{\vdash} \vdash & & 2 & \sim \gamma & \mathbb{E}^{\sim} & \mathbb{E}^{\sim} \sim \gamma \\
& & & & & & \mathbb{H} \mathbb{H} \\
& & & & & & \mathbb{H} \mathbb{E}^{\sim} \mathbb{H} \mathbb{H} \\
& & & & & & \mathbb{H} \mathbb{H} \xi \dot{\vdash} \vdash
\end{array}$$
$$\forall H \quad \exists \gamma \quad \exists 2 \quad \exists \tilde{E} \quad \exists H\psi \quad \vdash$$

H Ğ

M E[~] Ğ H K
 G Ğ H K
 'I Ğ H K Ğ H K b K † Z
 L K Ğ H K Z H K Ğ H K Ğ
 M w E[~]
 L Ğ L Ğ Đ ° Ğ Ü L ف İ L
 † İ ₯o † γ ı %o
 %o

M

M Ü

M J E[~] M Ü
 M 'E E[~] M Ü 'E 'E 'E † □ M İ
 □ ≠
 ≠ = M E[~] ≠ = M ≠ = M
 = = M = = M ≠ = M Ü
 = ψ H E[~] ≠ = M İ L ≠ = M M
 H E[~] γ H Ü
 □ Ü □ Ü Đ Ğ E □ K v † β
 M U □ E
 M E[~] Ü γ † v † 1 "H
 M ñ E[~] Ü M † K E[~] № E[~]
 M E[~] %o Ü 20,575,200 248 O G 1998
 9 14 γ † M E[~] † °o E[~] Ü O
 Ğ ₯ ↓

~	Ü Ö		M ~	₯
1		84655	120109650615301	† °o ₯
2		82199	120109691229306	† °o ₯
3	ε	82199	120109650105301	† °o ₯
4	7	82199	120109620904306	† °o ₯

№	Үлгі		Мәні	Ғылым
5		82199	132930670924282	Ғылым
6	↔ "H	71041	120109790227301	Ғылым
7	↓	82199	120109790116301	Ғылым
8		82199	120109660722301	Ғылым
9	ξ	82199	120109640121301	Ғылым
10	Γ ε	85969	120109670126302	Ғылым
11	↔ "H	82199	120109631127301	Ғылым
12	↔	58827	120109600712301	Ғылым
13	Γ	80813	120109760516301	Ғылым

14

№	№		№	№
45	↔	142370	120109530303301	「 〃 №
46		104516	120108700923301	「 〃 №
47		82199	120109700213301	「 〃 №

№	Үй О		М	№
85	↔"H	86712	120109730410302	「" №
86	7	86712	120109541124302	「" №
87		86523	120109670806301	「" №

№	№	№	№	№
125		109031	120109630203302	120109630203302
126		86714	120109570816302	120109570816302
127	1	86714	120109640504301	120109640504301
128	2	86714	120109740508301	120109740508301
129		39831	120109750726302	120109750726302
130	3	82200	120109760414301	120109760414301
131		64207	120109710216301	120109710216301
132		41890	120109678(0)-280 0 1	120109678(0)-280 0 1

• $\vec{u}$
• $\vec{v}$
• $\vec{w}$

ن	ٲ ٲ		م	ف
205	↔ "ٲ ٲ	76717	120109681225301	ٲ ٲ ف
206		54400	120109681125301	ٲ ٲ ف
207	ٲ	26116	120109771207303	ٲ ٲ ف
208	↔	72540	120109700707303	ٲ ٲ ف
209	↔	54400	120109620307301	ٲ ٲ ف
210		54400	120109650330302	ٲ ٲ ف
211	↔	76717	120109640415304	ٲ ٲ ف
212		76717	120109710130302	ٲ ٲ ف
213	ٲ	76717	120109720705302	ٲ ٲ ف
214	ٲ	76717	120109680121305	ٲ ٲ ف
215	ٲ	72203	120109570824301	ٲ ٲ ف
216	↔	72203	120109681227302	ٲ ٲ ف
217		72203	120109710414302	ٲ ٲ ف
218	↔ ≠	49886	120109631029303	ٲ ٲ ف
219	↔	72203	120109740106301	ٲ ٲ ف
220	"ٲ	72203	120109620617301	ٲ ٲ ف
221		72203	120109690619301	ٲ ٲ ف
222	ٲ	49886	120109701222302	ٲ ٲ ف
223	ٲ	27569	120109781121302	ٲ ٲ ف
224	ٲ	49886	120109750320301	ٲ ٲ ف
225		49886	120109640421301	ٲ ٲ ف
226	ٲ	72203	120109670420301	ٲ ٲ ف
227		94520	120109650217301	ٲ ٲ ف
228		72203	120109670115301	ٲ ٲ ف
229	ٲ	72203	120109720802301	ٲ ٲ ف
230	ٲ غ	38728		

№	№	№	№	№
245		11158	120109760721301	「 〃 ㄝ
246		11158	120109730729301	「 〃 ㄝ
247		11158	120109710625301	「 〃 ㄝ
248	↔	11158	120109740522301	「 〃 ㄝ

VII

$\tilde{E}^M$ $\Psi = \tilde{E}^M$ $\mathcal{H} \mathcal{M}$ $\mathcal{L}$
 $\tilde{E}$ $\tilde{E}^M$ $\gamma \omega$ Ψ
 N_0 $\mathcal{H} \gamma$ $\mathcal{H} \mathcal{F}$ $\mathcal{H} \Psi \Psi =$ $\tilde{E}^M \mathcal{U}$ G
 $\tilde{E}^{\omega}$ $\mathcal{H} \mathcal{M}$ $\tilde{E}^M$ 10 ρ G $\mathcal{H}$ 6 ρ
 G $\mathcal{L}$ $\tilde{E}$ $\tilde{E}^{\omega}$ $\tilde{E}^M$
 $\tilde{E}^{\ddot{0}}$ M 10% 3 ρ
 M
 $\mathcal{H} \mathcal{M}$ $\tilde{E}^M$ $M^{\gamma \omega}$
 $\mathcal{H} \mathcal{M} \tilde{\eta}$ $\tilde{E}^{\dot{t}}$ $\tilde{E}^{\mathfrak{b}}$
 $\mathcal{H} \mathcal{M}$ $\ddot{0}$ $\tilde{E}^M$ $\tilde{E}^{\ddot{0}}$ 1 ρ $\tilde{E}^{\ddot{0}}$ $\tilde{E}^{\ddot{0}}$
 $M \parallel$ $\ddot{0}$ $M($

$\mathbb{M}$ $\tilde{E}^{\sim}$ ω $\vdash$ $\mathbb{L}$ $\emptyset$ $O'Y$ $O'Y$
 $\tilde{E}^{\sim}$ M $\tilde{H}N_0$ $\dot{\iota}$ M $\neq$ $\vdash$ $\square$ M
 $\vdash$ $\square$ $\neq$ $\square$ $\vdash$

$\mathbb{M}$ H $\tilde{E}^{\sim}$ 9 Ψ N_0 $\neq$ $\tilde{\iota}$ ε H $\dot{\iota}$ $\vdash$ M
 $H\Psi$ Ψ_9 $\neg$ U $'Y$ $\vdash$ τ

$\mathbb{M}$ $\tilde{E}^{\sim}$ $\vdash$ $\downarrow$ $\neq$
 ω $\dot{\iota}$ M M $\neq$ $\dot{\iota}$ $\vdash$ $\neq$ N_0
 H ω 9 $\tilde{\alpha}$ ν η $\neg$ $\tilde{\alpha}$ ν Ψ a
 $=$

$\tilde{E}^{\sim}$ $\neq$
 ω $\tilde{\iota}$ $\dot{\iota}$ M
 $\mathbb{L}$ $O'Y$ $\tilde{E}^{\sim}$ $\tilde{\nu}$ $\vdash$ Ψ Ψ $H\Psi\Psi$ $=$
 $H\Psi\Psi$ $=$ $\vdash\Psi$ ρ
 $\tilde{E}$ $\tilde{E}^{\sim}$ $\dot{\iota}$ M M $\tilde{\alpha}$ ν $\tilde{E}^{\sim}$ $\blacktriangledown$ φ $^{\circ}$ N_0
 Ψ $\mathfrak{b}$ $\neq$ $\tilde{E}^{\sim}$ N_0 $=$ $\tilde{E}^{\sim}$ $\dot{\iota}$ M
 $\tilde{\eta}$ $\dot{\iota}$ $\vdash$ $\neq$

$\mathbb{M}$ $\neq$ $\parallel$ τ H $\tilde{U}$ $h\tilde{E}^{\sim}$ $\mathbb{L}$ $\dot{\iota}$
 $\tilde{E}^{\sim}$ M γ $\tilde{\iota}$ $\mathfrak{d}$ $\tilde{E}^{\sim}$ M U γ $\mathbb{L}$
 $\mathbb{M}$ $\mathbb{L}$ $\tilde{E}^{\sim}$ Ψ $H\Psi$ $=$ ρ $\tilde{\iota}$

$\mathcal{M} \tilde{\eta} \quad \tilde{E} \quad \downarrow \quad \vdash$
 $\mathcal{H} \quad \omega \quad \dot{\imath} \quad \mathcal{M} \dot{\xi} \sim$
 $\neq \quad \tilde{E} \quad \dot{\imath} \quad \vdash \quad \neq \quad \tilde{E} \quad \neg \quad \beta \quad \dot{\xi}$
 $\mathcal{K} \quad \tilde{E} \quad \tilde{v} \quad \neg \quad \neq$
 $\tilde{E} \quad \neq \quad \tilde{E} \quad \dot{\imath} \quad \vdash \quad \omega \quad \tilde{e} \quad \mathcal{K}$
 $\tilde{E} \quad \tilde{E} \quad \neg \quad \beta \quad \dot{\xi} \quad \mathcal{K} \quad \tilde{v} \quad \vdash \quad \tilde{E} \quad \tilde{v} \quad \neg \quad \neq$
 $\tilde{E} \quad \tilde{v} \quad \vdash \quad \mathcal{K}$
 $\mathcal{J} \quad \dot{\imath} \quad \dot{\imath} \quad \vdash \quad \vdash$
 $\mathcal{M} \quad \tilde{E} \quad 5\% \gamma \quad = \quad \mathcal{M} \quad \dot{\imath} \quad \mathcal{M}$
 $\mathcal{H} \quad \ddot{u} \quad h \tilde{E} \quad \mathfrak{b} \quad \mathfrak{F} \quad \mathfrak{p}$
 $\mathcal{M} \quad \tilde{E} \quad \mathcal{L} \neg \quad 2 \quad \neq \quad \dot{\imath} \quad \tau \quad \tau \quad \tilde{E} \quad \neq \quad \dot{\imath}$
 $\tilde{E} \quad \tilde{e} \quad \mathcal{K}$
 $\tilde{E} \quad \dot{\imath} \quad \mathcal{L} \neg \quad \tilde{E} \quad \dot{\xi} \quad \tilde{E} \quad \Psi \tilde{E} \wedge \quad \mathcal{H} \quad \vdash$
 $\omega \quad \mathfrak{a} \quad \mathfrak{F} \neg \quad \neq \quad \neq \quad \neq \quad \mathcal{N} \mathfrak{o} \quad \infty \quad \mathcal{V} \quad \mathcal{S}$
 $\tilde{G} \quad \tilde{E} \quad \dot{\xi} \quad \Psi \tilde{E} \wedge \quad \neg \quad \neq \quad \dot{\imath} \quad \mathcal{L} \quad \beta \quad \tilde{E} \quad \dot{\xi} \quad \Psi \tilde{E} \wedge$
 $\neq$
 $\mathcal{H} \quad \Psi$
 $\mathcal{M} \quad \Psi \quad \tilde{E} \quad \mathcal{Z} \quad \omega \quad \mathfrak{a} \quad \downarrow$
 $= \quad \tilde{E} \quad \dot{\xi} \quad \frac{7}{8}$
 $\mathcal{H} \quad \dot{\xi} \quad \eta \quad \mathcal{K} \quad \mathcal{H} \quad \mathcal{H} \quad = \quad \tau \quad \mathcal{H} \quad \mathcal{H} \quad \mathcal{H}$
 $\% \mathcal{H} \Psi \quad \mathfrak{p}$
 $\% \mathcal{H} \Psi \quad \mathfrak{p}$
 $\mathcal{J} \quad \% \tilde{E} \quad \vdash$
 $\tilde{E} \quad \% \tilde{E} \quad \neq \quad \mathcal{N} \mathfrak{o} \quad \dot{\xi} \quad \mathcal{U}$
 $\tilde{E} \quad \nu \quad \vdots \quad \gamma \quad \mathfrak{b} \quad \mathfrak{F} \quad =$
 $\tilde{\eta} \quad \ddot{u} \quad \tilde{E} \quad \tilde{v} \quad \vdash \quad \mathfrak{b} \quad \mathfrak{F} \quad =$
 $\tilde{E} \quad \neg \quad \mathcal{N} \mathfrak{o} \quad \dot{\imath} \quad \tilde{E} \quad \mathfrak{b} \quad \mathfrak{F} \quad =$
 $\mathcal{M} \quad \acute{k}$
 $\mathcal{M} \quad \tilde{E} \quad \Psi \quad \mathcal{H} \vdash \quad \mathfrak{b} \quad \mathfrak{F} \quad =$
 $\mathcal{M} \mathcal{H} \quad \% \mathcal{M} \mathcal{H} \quad \tilde{G} \mathcal{H}$
 $\mathcal{M} \quad \tilde{E} \quad 12 \quad \mathfrak{p} \quad \mathfrak{F} \quad \infty \quad \tilde{E}$
 $\infty \quad 30\% \quad \mathcal{H}$
 $\mathcal{M} \quad \% \dot{\imath} \quad \mathcal{N} \quad \mathcal{H}$

$\mathbb{M} \mathbb{J} : \frac{7}{8} \xi 2 \frac{7}{8}$
 $\mathbb{M}' \mathbb{E} \% \mathbb{E}^{\sim} \tau \neg \ddot{\mathbb{U}} \mathbb{V}' \mathbb{E}^{\sim} \lceil \mathring{\mathbb{A}} \vee 5\% \gamma$
 $3,000 \mathbb{H} \tau \mathbb{L} \bar{\mathbb{G}}$
 $\mathbb{M} \Psi = \dot{\mathbb{I}} \mathbb{I} \mathbb{H}$

$\mathbb{M} \mathbb{H} \mathbb{E}^{\sim} \downarrow \bar{\mathbb{G}} \Psi$
 $\mathbb{E}^{\sim} \mathring{\mathbb{I}} \mathbb{E}^{\sim} \mathbb{E}^{\sim} \bar{\mathbb{G}} \lceil \mathring{\mathbb{A}} \mathbb{N}_0$
 $\mathbb{J} \mathbb{M} \gamma \mathbb{U} \mathbb{L} \kappa \vee \bar{\mathbb{G}}$
 $\mathbb{H} \mathbb{E}^{\sim} \bar{\mathbb{G}} \mathring{\mathbb{A}} \mathbb{N}_0 \mathbb{M} \gamma \mathbb{U} \mathbb{L} \kappa \vee$
 $\bar{\mathbb{G}}$

$\mathbb{E}^{\sim} \mathring{\mathbb{A}} \mathring{\mathbb{P}} \bar{\mathbb{G}} \mathbb{E}^{\sim} \mathring{\mathbb{A}} \mathbb{N}_0 \mathbb{M} \bar{\mathbb{G}}$
 $\mathring{\mathbb{V}} \mathbb{N}_0 \mathbb{M} \bar{\mathbb{G}} \mathbb{L} \bar{\mathbb{G}}$
 $\mathbb{J} \mathbb{I} \bar{\mathbb{G}} \lceil \mathring{\mathbb{A}} \mathbb{N}_0 \mathbb{M} \bar{\mathbb{G}}$
 $\mathbb{E} \mathbb{L} \mathring{\mathbb{I}} \mathring{\mathbb{I}} \tau \mathbb{L} \bar{\mathbb{G}}$
 $\mathbb{G} \mathring{\mathbb{I}} \bar{\mathbb{G}} \mathbb{E}^{\sim} \tau \mathbb{H}$
 $\neg 2 \tilde{\mathbb{E}} \kappa \mathbb{E}^{\sim} \mathring{\mathbb{A}} \tau \gamma$

$\mathbb{M} \Psi \mathbb{N}_0 \Psi \xi \Psi \Psi \mathring{\mathbb{A}} 1$
 $\mathbb{G} \Psi \mathbb{U} 6 \mathring{\mathbb{P}}$

$\mathbb{M} \downarrow \mathbb{E}^{\sim} \mathbb{H} \ddot{\mathbb{U}} 2 \gamma \mathring{\mathbb{P}} \Psi$
 $\mathbb{H}_i \mathbb{E}^{\sim} \neg 2/3$
 $\mathbb{H} \mathbb{E}^{\sim} \mathbb{T} 1/3$
 $\mathbb{I} \mathbb{E}^{\sim} 10\% \gamma \mathbb{M}$
 $\mathbb{H} \Psi$
 $\mathbb{J} \mathbb{H} \Psi \mathring{\mathbb{A}}$
 $\mathbb{E} \dot{\mathbb{I}} \mathbb{I}$

$\mathbb{M} \mathbb{J} \mathbb{E}^{\sim} \mathring{\mathbb{A}} \Psi \mathbb{E}^{\sim} \delta$
 $\Psi \Psi \gamma \Psi \mathring{\mathbb{A}} \mathbb{E}^{\sim} \mathbb{L} \check{\mathbb{A}} \mathbb{V}$
 $\Psi \mathbb{L} \mathring{\mathbb{B}} \neq \check{\mathbb{A}} \mathbb{V} \Psi \mathbb{F}$
 $\ddot{\mathbb{U}} \mathbb{F} \Psi \mathbb{U} \Psi \Psi \mathring{\mathbb{A}} \mathring{\mathbb{I}} \mathring{\mathbb{I}}$
 $\mathring{\mathbb{A}} \Psi \mathring{\mathbb{A}} \parallel 2 \mathring{\mathbb{B}} \mathbb{E} \mathring{\mathbb{P}} \mathbb{I}$

$\mathbb{M}' \mathbb{E} \mathbb{E}^{\sim} \mathring{\mathbb{A}} \Psi \gamma \mathbb{F} \mathring{\mathbb{I}} \mathbb{E} \mathring{\mathbb{P}}$
 $\Psi \mathring{\mathbb{A}} \mathring{\mathbb{A}} \mathbb{I} \mathring{\mathbb{A}} \mathring{\mathbb{A}}$
 $\mathbb{H} \mathbb{F} \Psi \neg 2 \mathring{\mathbb{A}} \mathring{\mathbb{A}}$
 $\Psi = \dot{\mathbb{I}} \mathbb{I} = \tau \mathbb{F} \mathring{\mathbb{I}}$

$\Psi \mathring{\mathbb{A}}$

τ G_9 $\mathcal{M}$ ψ $\mathcal{H}$ h $\mathcal{H}\psi$ $_9$ ψ $\tilde{E}$ $\mathcal{H}\psi$ $|$ $\mathcal{H}$
 $\mathcal{H}\psi$ $\square$ $_9$ $\mathcal{H}$ $\tilde{E}\rho$ $|$ U 10 ρ $\mathcal{F}\square$ $\square$ $_9$
 $\mathcal{H}\psi$ $\square$ $_9$ ψ $\mathcal{H}\psi = U$ 5 ρ $\tilde{U}\mathcal{F}_9$ ψ
 $\mathcal{H}\psi$ $\square$ $_9$ ψ $\tilde{E}\rho$

$\mathcal{F}$ $\tilde{E}$ $\mathcal{H}\psi$ $|$ $\mathcal{H}\psi$ γ $\mathcal{F}_9$ ψ γ h $\mathcal{H}\psi$
 $|$ U 10 ρ $\mathcal{F}\square$ $\square$ $_9$ ψ $\tilde{E}\rho$
 $\mathcal{H}\psi$ $\square$ $_9$ ψ $\mathcal{H}\psi = U$ 5 ρ $\tilde{U}\mathcal{F}_9$ ψ
 $\mathcal{H}\psi$ $\square$ $_9$ $\mathcal{H}\psi$ $\square$
 $\mathcal{H}\psi$ $\square$ $_9$ ψ $\tilde{E}\rho$ $\square$ $\mathcal{H}\psi$ $_9$
 ψ $\mathcal{H}$

ψ $\mathcal{M}$ γ $\mathcal{H}$ $\mathcal{H}\psi$ $\mathcal{F}$ $\mathcal{H}\psi$ $|$ γ h $\mathcal{H}\psi$ $_9$ ψ
 $\tilde{E}\rho$ $|$ U 10 ρ $\mathcal{F}\square$ $\square$ $_9$ ψ $\tilde{E}\rho$
 $\mathcal{H}\psi$ $\square$ $_9$ ψ $\mathcal{H}\psi = U$ 5 ρ $\tilde{U}\mathcal{F}_9$ ψ
 $\mathcal{H}$

ψ

л ѡ ρ ϑ ψ ξ ι ρ = Η
ξ
л ѡ Ε̃ ϑ ψ Ηψ Ηψ γ ι̃ ι Ε̃ 3%γ Μ
h Ε̃ ϑ
ι Ε̃ 3%γ Μ γ ψ 10 || ϑ
ϑ ϑ ϑ | U 2 ρ ϑ ϑ ψ ϑ Η Ε ϑ ρ
|| ϑ ϑ ϑ ψ Ε ϑ U κ ψ ↓
ν

↓	л	у	ñ	ü	ѣ	ψ	U		ψ	ü		ψ	
б	Е	р	л	ü		ѣ	ü	9	ı	л	9		2

'E M ψ 'E η r H H ξ H ψ ϕ ψ
 ξ ì τ 2 ↓ ψ
 Ä æ (à y. ζ q ñ u x% (@, @yÄœ V0 > y. ζ a ñ dup '0 „ Ä æ (' a ' 'ë ÷ • G
 'E M ñ ψ .H U Hŭ) □ Γ γ ϖ • H Γ Γ
 'E β β γ • H 1 γ H " □ • H я • ~ ~ ä '

$$\sim \psi \quad \dot{\imath} \, \tau \, \rho$$

$$\begin{array}{ccccccccccc} \mathbb{M} & \circ & \bar{G} & \psi & \dot{\rho} & \% & \dot{\epsilon} & \bar{\mathbb{F}} & \psi & \mathbb{H} & \mathbb{H} \\ \mathbb{H}\psi & \circ & \bar{G} & \psi & \psi & & \mathbb{O} & \psi & & \bar{\mathbb{F}} & \bar{\mathbb{F}} \\ \mathbb{O} \, \Upsilon \, \dot{\imath} \, \eta & \bar{\mathbb{F}} & & \dot{\imath} \, \dot{\imath} \, \tau & = & ' & & \bar{G} & \bar{G} \\ \mathbb{G} & 10 & & & & & & & & & \end{array}$$

$$\begin{array}{ccccccccccc} \mathbb{M} \, \mathbb{J} & \circ & \bar{G} & \psi & & = & \sim & \mathbb{Z} \\ \psi & \bar{\mathbb{F}} = & \mathfrak{U} & & \circ & \psi & & & & & \\ \psi & \dot{\imath} \, \mathbb{E} \, \mathfrak{p} & \square & \circ & \mathfrak{h} \, \mathbb{E} & \psi & \bar{\mathbb{F}} & \dot{\imath} & \mathfrak{t} & & \\ \mathfrak{p} & & & & & & & & & & \end{array}$$

$$\mathbb{E} \quad \psi \quad - \, \dot{\epsilon} \, -$$

$$\begin{array}{ccccccccccc} \mathbb{M} \, \mathbb{E} & \psi = & \mathbb{N} & = & \dot{\epsilon} \neq = & & \eta & & = & 1/2 \\ \psi \, \mathfrak{b} \, \bar{\mathbb{F}} & = & \bar{\mathbb{F}} & = & \psi & ' & & & & & \\ \Upsilon & & & & & & & & & & \\ \psi \, \mathfrak{b} \, \bar{\mathbb{F}} \neq = & \bar{\mathbb{F}} & \psi & ' & \eta & & = & 2/3 \\ \Upsilon & & & & & & & & & & \end{array}$$

$$\begin{array}{ccccccccccc} \mathbb{M} & \downarrow \mathbb{H} & \psi \, \Upsilon & = & & & & & & & \\ \mathbb{H} \psi \, \dot{\epsilon} & \mathbb{H} \psi & \mathfrak{b} \, \mathfrak{p} & & & & & & & & \\ \mathbb{H} & \mathbb{H} \psi & \neq \mathbb{N} & \dot{\epsilon} & \mathbb{T} & & & & & & \\ \mathbb{H} \psi \, \dot{\epsilon} & \mathbb{H} \psi & 2 & \kappa \, \mathfrak{W} \, \dot{\imath} \, \dot{\imath} & \dot{\epsilon} & \mathbb{U} & & & & & \\ \mathbb{E} & = & & & & & & & & & \\ \mathbb{J} & \mathbb{E} & \mathfrak{p} & & & & & & & & \\ \mathbb{E} & & & & \Upsilon \neq = & \Upsilon & \dot{\imath} \, \tau \, \mathbb{H} & & & & \end{array}$$

$$\begin{array}{ccccccccccc} \mathbb{M} \, \mathfrak{H} & \downarrow \mathbb{H} & \psi \, \Upsilon \neq = & & & & & & & & \\ \mathbb{E} & \mathfrak{v} & \mathfrak{z} & \Upsilon & & & & & & & \\ \mathbb{H} & \mathbb{E} & \mathbb{N} & \mathbb{N} & \mathfrak{d} & \mathfrak{z} \, \mathfrak{h} & \mathfrak{e} & \dot{\imath} & \mathfrak{x} & & \end{array}$$

$$\hat{k}$$

$$M$$

$$\gamma \tilde{l} \quad \psi \gamma \quad = \quad \psi \quad E^{\tilde{\alpha}}{}^{\alpha}$$

$$\begin{aligned}
& \frac{3}{4} \frac{H \bar{R}}{U} = \frac{\gamma N_0}{U} = \frac{\psi}{H_4} = \frac{\bar{E}}{H} = \frac{\dot{H}}{H \bar{R}} = \frac{\omega}{\psi} \eta
\end{aligned}$$

$$\begin{aligned}
 \xi &= \frac{M}{\rho} \frac{\tilde{r}}{E} = M \frac{D}{E} = \\
 &= M H
 \end{aligned}$$

$\neq$ $\dot{t}$ $\dot{t} \uparrow$ $\sim$ $\sim \vee \tilde{E}$ $\circ\circ$

ω ξ $H\psi$ $H\psi$ $=$ 2ψ 2η
 H $\dot{\iota}$ 2ψ O 2ψ 2ψ $H\psi$ K^9 ψ
 2ψ ψ $H\psi$ L 2ψ ψ 2ψ ψ

$\tilde{\eta}$ $\tilde{E}$ $H\psi$ $\gamma\psi$ $\tilde{E}$ $\vdash$ $\rho\neq\dot{\iota}$ $\%$ h
 $\psi\neq\neq$

$H\psi$ L $H\psi$ H $\dagger$ γ $\bar{G}$ $H\psi$ $\psi=$ $\neq$
 $\bar{G}$ $=$

ψ $H\psi$ $\neq$ $\neq$ $\bar{G}H$
 $\xi=$
 τ 2 ψ $\%$
 G $\neq$ $\bar{G}H$ τ U
 τH $\tilde{E}$ $\sim$ γ_3 L τ L ψ

ψ $H\psi$ H $1_{\neq}$ H $1-2_{\neq}$ H ξ H $H\psi$
 $\gamma\eta$ r H ψ

ψH H a $\downarrow$
 $O\tilde{E}$ $H\psi$
 H $\psi\xi$ $H\psi\psi$
 $()$ B $H\psi=$
 $()$ $\tilde{E}$ $\tilde{E}$ $\tilde{\nu}$ $\vdash$ $\dot{\iota}$ $\dot{\iota}$ τ E $\vdash$
 (η) $H\psi$ $\neq\xi\dot{\iota}\tau$ $\tilde{E}$ η $\dot{\iota}\tau$ $\neq$
 $\tilde{E}$ a η $\neq$
 $()$ $\ddot{u}$ $\neq$ $\neq$ $\tilde{E}$ $H\vdash$ a $\xi\tilde{E}$
 $\neq$ $\neq$ $HUh\tilde{E}$ $H\psi\xi$ ψ ρ
 $(\tilde{\eta})$ $H\psi$ $\dot{\iota}\tau$

ψ $\tilde{E}$ $\neq$ H $\psi^\dagger$ H $\neq$ H $\vdash$ $\vdash$
 $\neq$ H $\vdash$ $\neq$ H $\vdash$ ψ γ $H\neq\neq$
 O H $\vdash$

ψ $H\psi$ $\neq$ ψ H $G\psi$ 10 $\gamma\neq$
 η r $H\xi$ H

ψ η $1/10\gamma$ $=$ $1/3\gamma$ H $H\psi$ $\neq$ γ $\neq$
 $H\psi$ ψ H $\int$ $U10$ ρ $\neq$ ξ $H\psi\psi$
 $\dot{\iota}\tilde{E}$ $\neq$ $\neq$ $H\neq$ γ $\neq$

$$H \psi$$

D

	M'E	H _U ψ ₉	H _U ψψ		7	F	D	D
		G	H _U ψ ₉	5	γ F	[γ H _U		

Ψ $H_\mu \Psi$ γ ρ
 Ψ ξ
 $H_\mu \Psi$
 $H_\mu \tilde{\Gamma}$
 $\tilde{U} \tilde{F}$

$$\eta_r = \frac{H}{H_0} \left(\frac{\dot{H}}{H^2} + \frac{1}{\Omega_m} \right) = \frac{1}{\Omega_m} \left(\frac{\dot{H}}{H^2} + \frac{1}{H_0^2} \right)$$
$$a = \frac{1}{\sqrt{3}} \frac{H}{H\psi\psi} \frac{1}{b} = \frac{1}{\sqrt{3}} \frac{H}{H\psi\psi} \frac{1}{\mathcal{F}} \frac{1}{H\psi} \frac{1}{H} = \frac{1}{\sqrt{3}} \frac{H}{H\psi\psi} \frac{1}{\mathcal{F}} \frac{1}{H\psi} \frac{1}{H}$$
$$\begin{array}{c} \begin{array}{ccccc} & \mathcal{H} \mathcal{M} & & \mathcal{H} \Psi = & \\ \mathcal{H} \Psi & & \Psi & \tilde{G} & \mathcal{H} \tilde{\mathcal{H}} \mathcal{N} \mathcal{O} \\ & \tilde{\alpha} \Psi & \mathcal{H} & & \end{array} \\ = \end{array} \quad \begin{array}{c} \mathcal{O} \\ \parallel \\ \mathbb{F} \end{array} \quad \begin{array}{c} = \\ \sim \end{array} \quad \begin{array}{c} \gamma \\ \mathcal{D} \end{array} \quad \begin{array}{c} \mathfrak{b} \mathfrak{f} \end{array}$$
[illegible]
$$\psi \quad \begin{array}{ccccccc} \mathbb{H} & \mathbb{M} & \mathbb{H} & & \mathbb{H} & \psi & \psi & \mathbb{H} \\ & & \mathbb{O} & & & & & = & \mathbb{A} & \psi & \mathbb{F} & \psi & \mathbb{H} \\ \mathbb{H} & \psi & \psi & & \mathfrak{b} & \mathbb{E}^{\tilde{x}} & \bar{G} & \bar{G} & & \mathbb{G} & 10 \end{array}$$
$$\begin{array}{ccccccc} \mathcal{H} \mathcal{M} & & \mathcal{H} \Psi \Psi & & \gamma & \dot{\rho} & \\ \Psi & \circlearrowleft & & \hat{\mathcal{G}} & & \mathcal{O} & \\ \mathcal{H} & \mathcal{F} & \mathcal{H} & \mathcal{O} & \gamma & \hat{\mathcal{I}} & \hat{\mathcal{I}} & \mathcal{I} & & \mathcal{F} & \mathcal{H} \Psi & \mathcal{H} & \eta & & \mathcal{O} \\ & \Psi & & & & & & & & & & & & & \\ & \mathcal{H} \hat{\mathcal{U}} & & & & & & & & & & & & & \\ \mathcal{J} & & = & \mathcal{H} & & = & \hat{\mathcal{G}} & & = & & & & & & \mathcal{U} \end{array}$$

$$\begin{array}{ccccccc}
& & H\psi & & \tilde{E} & & 1\ O & & H\psi & & \kappa \\
\tilde{E} & & \bullet & & O & & H\psi & & \kappa & & \\
\tilde{E} & & \bullet & & & & \vdash & & \vdash & & H\psi & & \tilde{E} & & \vdash & & 2
\end{array}$$

$\bar{G}$ γ $\tilde{E}$ τ
 $H\psi$ W H $H\vdash$ H $\tilde{I}$
 $\mathbb{M}$ $\neg$ 2 $\tilde{E}$ $\vdash$ $\mathbb{I}$
 $\tilde{E}$ $\tilde{e}$ K
 $\tilde{E}$ $\mathbb{M}$ $\mathbb{J}$ $\tilde{E}$ $\neg$ 2 $\vdash$ $\dot{Y}$ $\tilde{x}$ ξ η r $\neq$
 $\neg$ 2 $\vdash$ H $\vdash$ $\tilde{E}$ ξ ψ E Λ $\neq$
 ω $\tilde{e}$ K

$H\psi$

H

$\mathbb{M}$ E $\mathbb{M}$ $\mathbb{J}$ τ G K H $\square$ G H
 H ξ $\dot{I}$ τ $\neg$ 2 $\dot{I}$ K H
 $\mathbb{M}$

ዘህህ ተ ተ ዘህህ ሐ ፍ ሄ ዘህህ ዘህህ
 • ተ ተ ጎ ጎ ዘህ ም ዐ ዘህ ሄ ዘህህ
 ህ ዘህህ ህ ጎ ሄ ዘህ ም ዐ ዘህ ሄ ዘህህ

ʎ ʍ 'E[~] ψ 4 ρ h ψ ξ ʃ^ˈ
 ρ ψ ʎ 2 ρ h ψ ʒ ξ ʃ
 ρ ρ ʀ ψ ʃ ʃ^ˈ
 L

ʎ ʍ ʙ 'E[~] ψ 3 ψ 'E[~] ʰ γ κ ν
 O Ů^ˈ

ʎ ʍ 'E[~] N₀ U ≠ Ů ≠ 10% ↓ ~ 'E[~] 'E
 'E[~] 'E 'E[~] 'Y 50% γ ~ γ 'P Ů
 'E[~] 'E γ γ ʃ ʈ ʉ ʃ Ů 'E ʃ
 ʘ ≠ ʈ ψ = ~ γ ʈ U ≠ Ů κ 'E
 'E[~] ʈ U ≠ Ů 'E U γ ʈ U ≠ Ů κ 'E
 'E[~] ʈ ξ Ů 'E U φ U ≠ M ° N₀ ρ
 ° N₀
 ψ ʃ ʃ 'E[~] ʈ ξ Ů 'E ʃ h N₀ ≠
 ʃ N₀ ≠ 'E[~]
 'E[~] 'E[~] M ǎ N₀ ≠
 ʎ ʍ 'E

$\tilde{E}$ L N_0 $\frac{7}{8}$ ψ $H\psi$ $\tilde{E}$ E $H\psi$
 $\tilde{E}$ $H\psi$ U $H\psi$ H L H
 ψ κ ρ N_0 $\frac{7}{8}$ $\frac{7}{8}$ $'$
 $'$ $\neq$ $E \wedge$ $H \xi$ H $\tilde{E}$ H
 $\psi \sim \gamma$ N_0 $\frac{7}{8}$
 $\tilde{E}$ $H\psi$ L N_0 $\frac{7}{8}$ vii
 $\neq$ N_0
 $\tilde{E}$ $\sim \gamma$ $\tilde{U}$ H $\dot{\gamma}$ N_0 $\neq$ $\tilde{E}$
 $\neq$ N_0 $\pi \tilde{\omega}$ N_0 $\dot{\gamma}$ N_0 D $\pi \tilde{\omega}$ N_0 $\neq$ N_0
 $\tilde{E}$ $\neq$ $\neq$ N_0 $\tilde{E}$ $\tilde{E}$ U r ap
 $E \vee \dot{\gamma}$ L ψ $\tilde{E}$ H ψ $\dot{\gamma}$
 $\neq$ N_0 $\dot{\gamma}$ r
 $\tilde{E}$ $\neq$ vii $\neq$ N_0 D $\tilde{E}$ $H\psi$ $\tilde{E}$ $\dot{\gamma}$ r $'$ ξ
 $\text{H} N_0 \cap \tilde{U}$ $H \xi$ ξ ψ ρ $G \tilde{E}$ $'$ $\neq$
 D $\tilde{\alpha} \psi$ L $\neq$ N_0 $\neq$ N_0
 N_0 $\neq$ a $\frac{7}{8}$
 $\tilde{E}$ $\pi \tilde{\omega}$ N_0 $\neq$ N_0

2 ≠ №
 $\bar{G}$ $\tilde{E}$ $\dot{G}$ $\overset{vii}{\parallel}$ $\tilde{E}$ $\tau \vee$ G_{vii} $\dot{\rho}$ G
 $\dot{G}$ №₃ $\circ$ $E \vee$ $\tilde{E} \sim \gamma \vee$ № ≠ $\square$ $\ddot{U}$ ≠
 1 ≠ $\mathfrak{D}$
 $\tilde{E}$ $\sim \dot{G} \lceil$ ≠ $H\psi$ $\tilde{E}$ $\ddot{i}$ $\overset{vii}{\parallel}$
 $\tilde{E} \sim \mathfrak{F}$ ≠ №
 2 ≠ № $\mathfrak{D}$
 № ≠ 10 № ≠ $G \ 1$ $\cap \downarrow$ ≠ №
 $\tilde{E}$ $\dot{E}$ G $\tilde{E}$ $\mathfrak{U}$ $\overset{oo}{\parallel}$ $\tilde{E}$ $\dot{E}$
 $\dot{E}$ G $\parallel \tilde{E}$ $\dot{Y}$ 25%
 $\mathfrak{J}$ ≠ №
 $\tilde{E}$ ≠ №
 $\tilde{E}$ $H\psi \sim \gamma$ $\overset{oo}{\parallel}$ $\dot{G}$ $\dot{=}$ № №
 $\dot{E}$ ≠ №
 $\tilde{E}$ $\overset{oo}{\parallel}$ $\dot{U}$ $\dot{i}$ $\frac{7}{8} \dot{G}$ $\ddot{U}$ $\mathfrak{A}$ ≠ №
 $\tilde{E}$ $H\psi$ $\dot{=}$ $\mathfrak{F} \neq$ № $\dot{=}$ ψ $\dot{i}$

$\mathbb{E} \mathbb{M} \tilde{\eta} \quad \mathbb{E}^{\sim} \mathfrak{g} \quad \mathbb{H} \Psi \quad \Psi \quad \gamma \quad \neg \quad \mathbb{F} \quad \mathbb{D} \quad \mathfrak{D}$

$\mathbb{E} \mathbb{M} \quad \mathbb{E}^{\sim} \quad \gamma \quad \neg \quad \mathbb{F} \quad \neg \quad \mathbb{O} \quad \mathfrak{D}$
 $\mathbb{E}^{\sim} \quad \gamma \quad \mathbb{E} \mathfrak{p} \quad \mathbb{F} \quad \gamma \quad \mathfrak{D} \quad \mathbb{F} \quad \mathfrak{U} \quad \mathbb{E}^{\sim} \quad \mathfrak{J} \quad \mathfrak{b} \quad \mathfrak{D} \quad \mathbb{F}$
 $\mathbb{E}^{\sim} \quad \gamma \quad \mathbb{E} \mathfrak{p} \quad \mathbb{F} \quad \mathbb{E} \mathfrak{p} \quad \mathfrak{e}$

$$\begin{array}{c} \mathbb{M} \quad \mathcal{E}^{\sim} \quad \vdots \quad \mathcal{Y} \quad L^{\infty} \quad \tilde{\nu} \quad \check{\mathbb{I}}^{\infty} \quad \mathcal{Y} \\ \mathcal{E}^{\sim} \quad \mathfrak{b} \, \mathfrak{F} \quad \vdots \quad \mathcal{Y} \quad = \quad 10 \quad \mathfrak{p} \quad \tilde{\nu} \quad \mathfrak{G} \, 30 \quad \mathfrak{p} \quad \mathcal{E}^{\sim} \\ e \quad \mathcal{E} \mathfrak{p} \quad \tilde{\nu} \quad \mathfrak{I} \quad \int \quad 30 \quad \mathfrak{p} \quad \int \quad \mathcal{E} \mathfrak{p} \quad 45 \quad \mathfrak{p} \\ \mathcal{E}^{\sim} \quad \tilde{\mathfrak{e}} \, \tilde{\nu} \, \mathfrak{I} \quad \mathbb{L} \quad \bar{\mathbb{G}} \\ \mathcal{E}^{\sim} \quad \vdots \quad \mathbb{U} \quad \mathcal{Y} \quad \mathcal{Y} \, \mathfrak{G} \quad \mathcal{Y} \end{array}$$

$$\begin{array}{c} \mathbb{M} \, \check{\mathbb{H}} \quad \mathcal{E}^{\sim} \quad \mathbb{N} \mathfrak{o} \quad \mathbb{H} \, \mathfrak{U} \quad \check{\mathbb{I}} \quad \mathfrak{u} \quad \mathfrak{h} \, \mathcal{E}^{\sim} \quad \mathfrak{T} \, \mathbb{W} \\ \check{\mathbb{I}} \quad \mathcal{E}^{\sim} \quad \mathfrak{u} \quad \mathbb{W} \, \mathcal{E}^{\sim} \quad \mathcal{E}^{\sim} \quad \mathfrak{u} \quad \mathbb{W} \, \mathcal{E}^{\sim} \end{array}$$

$$\mathcal{E}^{\sim} \quad \mathfrak{v} \quad \vdots \quad \mathcal{Y} \quad \mathfrak{u} \quad \mathfrak{h} \, \mathcal{E}^{\sim} \quad \mathfrak{T} \, \mathbb{W} \quad \check{\mathbb{I}}$$

$$\mathbb{H} \quad \mathfrak{E}$$

$$\begin{array}{c} \mathbb{M} \quad \mathcal{E}^{\sim} \quad \downarrow \, \mathbb{I} \\ \mathfrak{i} \, \mathfrak{I} \quad \mathbb{H} \, \mathfrak{F} \\ \mathbb{H} \quad \Psi = \\ \mathcal{E}^{\sim} \quad \mathbb{N} \mathfrak{o} \\ \mathfrak{u} \quad \mathfrak{D}^{\mathfrak{T}} \\ \mathbb{J} \quad \mathcal{E}^{\sim} \quad \mathfrak{U} \quad \Psi \, \mathfrak{a} \quad \neq \quad \check{\mathbb{I}} \, \int \quad \mathfrak{i} \, \mathfrak{I} \\ = \quad \mathcal{E}^{\sim} \, \mathfrak{n} \quad = \quad 10\% \, \mathcal{Y} \quad \sim \, \mathcal{Y} \quad \mathcal{E}^{\sim} \end{array}$$

$$\check{\mathbb{H}} \, \mathbb{M} \quad \mathcal{E}^{\sim} \quad \mathbb{M} \quad \sim \, \mathcal{Y} \quad \acute{\mathbb{K}}$$

$$\mathfrak{u} \quad \mathbb{F} \quad \acute{\mathbb{K}} \quad \mathfrak{F} \quad \Psi \, \Psi \quad = \quad 2/3 \, \mathcal{Y}$$

$$\begin{array}{c} \check{\mathbb{H}} \, \mathbb{M} \quad \mathcal{E}^{\sim} \quad \mathbb{M} \quad \mathbb{H} \\ \mathbb{J} \quad \mathbb{H} \, \mathfrak{F} \quad 15 \quad \mathfrak{p} \\ \mathbb{H} \quad \Psi \quad \mathfrak{I} \quad 2 \quad \tilde{\nu} \quad \sim \, \mathcal{Y} \end{array}$$

$$\begin{array}{c} \check{\mathbb{H}} \, \mathbb{M} \, \mathbb{H} \quad \mathfrak{a} \quad \downarrow \\ \mathcal{E}^{\sim} \quad \mathbb{N} \mathfrak{o} \neq \quad \mathbb{L}^{\infty} \quad \tilde{\nu} \quad \mathfrak{E} \quad \mathfrak{I} \\ \mathbb{H} \quad \mathcal{E} \mathfrak{p} \, \tilde{\nu} \quad \mathfrak{T} \, \mathcal{E}^{\sim} \quad \mathfrak{I} \\ \mathcal{Y} \, \check{\mathbb{I}} \quad \mathfrak{I} \\ \mathbb{J} \quad \tilde{\nu} \quad \tilde{\nu} \, \mathfrak{I} \\ \mathcal{E} \quad \mathcal{E}^{\sim} \quad \tilde{\mathfrak{e}} \, \tilde{\nu} \, \mathfrak{I} \, \mathbb{U} \quad \blacktriangledown \, \varphi \\ \mathfrak{I} \quad \mathcal{E}^{\sim} \quad \check{\mathfrak{a}} \quad \mathbb{H} \end{array}$$

45

$\dot{\rho}$ h $\dot{\imath}$ $\tilde{v}$

$\tilde{v}$ $\neg$ $\tilde{v}$ $\tilde{v}$ τ H_u L $\tilde{v}$

$\tilde{v}$ $\tilde{v}$ $\neg$ $\tilde{e}$

$\tilde{\eta}$ M $\tilde{E}^{\sim}$ $^{\circ\circ}$ L $^{\circ\circ}$ $\tilde{v}$ ξ $^{\circ\circ}$ γ U L

Ψ $\neg$

$\tilde{E}^{\sim}$ $^{\circ\circ}$ $N_0 \neq$ U $\Psi \bar{G}$ ξ $\tilde{e}$

$\tilde{e}$ $\tilde{E}^{\sim}$ $\tilde{v}$ $\vdash$ U ∇ φ $^{\circ\circ}$ $\tilde{E}^{\sim}$ M ^{D} N_0 τ $\neg$ $\tilde{E}^{\sim}$ $^{\circ\circ}$ $\Vdash$ $\tilde{e}$

$\tilde{E}^{\sim}$ ρ $\Vdash$ ΨN_0

$\tilde{\eta}$ M η $\tilde{E}^{\sim}$ $^{\circ\circ}$ L $^{\circ\circ}$ $\tilde{v}$ ξ $^{\circ\circ}$ γ U $\hat{U}$ $\tilde{E}^{\sim}$ $^{\circ\circ}$

$\tilde{e}$ $\tilde{v}$ $\vdash$ ω $h_{\neg}$ ρ $^{\circ\circ}$ U ρ $^{\circ\circ}$ H_u $\vdash$ $\neg$ $\neg$

$\tilde{E}^{\sim}$ $\neg$ ρ $^{\circ\circ}$ U H_u $\vdash$ $\neg$ $\neg$

$\tilde{\eta}$ M $\tilde{E}$ $\tilde{E}^{\sim}$ τ U L $\mathfrak{b}$ ρ Ψ $\neg$

$\tilde{E}^{\sim}$ $\tilde{E}^{\sim}$ $\tilde{E}^{\sim}$ $\tilde{E}^{\sim}$

$\tilde{\eta}$ M 2 G ω $\vdash$ $\tilde{E}^{\sim}$ $^{\circ\circ}$ $\tilde{e}$ κ

2 $\neq$ $\dot{\imath}$ $\dot{\imath}$ $\neg$ $\sim$ $\sim$ $\neg$ $\tilde{E}^{\sim}$ $^{\circ\circ}$

2 $\tilde{E}^{\sim}$ $\tilde{v}$ $\neg$ $\tilde{e}$ κ

$\tilde{\eta}$ M $\tilde{\eta}$ $\tilde{E}^{\sim}$ ω ρ $^{\circ\circ}$ ω τ O $^{\circ\circ}$ $^{\circ\circ}$

M $\acute{k}$

$\tilde{\eta}$ M $\downarrow$ $\tilde{E}^{\sim}$ $\acute{k}$ H_u $\acute{k}$ U

$\tilde{E}^{\sim}$ τ $\acute{k}$ U H_u $\acute{k}$ U

H_u $\tilde{E}^{\sim}$ $\prime$ $\hat{U}$ $\dot{\imath}$ H_u

$\Psi =$ $\acute{k}$

$\%_0$ $\tilde{\imath}$ $\tilde{E}^{\sim}$ M H_u $\Psi =$ ω W $\dot{\imath}$ $\acute{k}$ H_u τ τ

M $H_u \Psi \omega$ $\Psi \acute{k}$ $=$ ξ τ τ $\acute{k}$

M H_u $\acute{k}$ H_u G H_u γ $\tilde{E}^{\sim}$ ρ

38